

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision date 01.07.2019

Version: 4.2, ID-No.: 2000-01\_GB-GB Page 1/8

# **SECTION 1:** Identification of the substance/mixture and of the company

1.1. Product identifier: TYFOCOR®

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Antifreeze and anti-corrosion fluid for thermotechnical systems

1.3. Details of the supplier of the safety data sheet

Company: TYFOROP Chemie GmbH, Ausschläger Billdeich 77, D-20539 Hamburg

**Telephone/Telefax:** Tel.: +49 (0)40 20 94 97 0, Fax: +49 (0)40 20 94 97 20 msds@tyfo.de (E-Mail adress of person responsible for SDS)

1.4. Emergency telephone number: Tel.: +49 (0)551-19240 GIZ-Nord Poison Center

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute Tox. 4, H302. STOT RE 2, H373.

The full text of the abbreviations is listed in section 16.

#### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard	Signal word			
pictograms	Warning			
	Hazard Statements			
	H302 Harmful if swallowed			
	H373 May cause damage to kidneys through prolonged or repeated exposure by swallowing			
\•/	Precautionary Statements (Prevention)			
	P260 Do not breathe vapour/mist/aerosol			
	P264 Wash skin with plenty of water and soap thoroughly after handling			
	P270 Do not eat, drink or smoke when using this product			
	Precautionary Statements (Response)			
	P312 Call a POISON CENTER or doctor/physician if you feel unwell			
	P301+P330 IF SWALLOWED: rinse mouth			
•	Precautionary Statements (Disposal)			
	P501 Dispose of contents/container to hazardous or special waste collection point			
	Hazard determinant component for labelling			
	Ethane-1,2-diol / Ethylene glycol			

**2.3. Other hazards:** None known.

#### **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

**Chemical nature:** Ethane-1,2-diol (ethylene glycol). Inhibitors.

**Hazardous components** 

Substance / REACH registration number	Content	CAS number	EC number	INDEX number	Classification acc.
Ethane-1,2-diol 01-2119456816-28	>90 %	107-21-1	203-473-3		Acute Tox. 4, H302 STOT RE 2, H373

The full text of the abbreviations is listed in section 16.

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

General advice: In the case of an accident or if you feel unwell, seek medical advice im-

**TYFO**ROP Safety Data Sheet Version: 4.2, ID-No.: 2000-01\_GB-GB Revision date: 01.07.2019 Product: **TYFO**COR® Page 2/8

#### **SECTION 4: First aid measures - Continuation**

mediately. If symptoms persist or in cases of doubt seek medical advice.

**Protection of first-aiders:** First Aid responders should pay attention to self-protection, and use the

recommended personal protective equipment when the potential for ex-

posure exists.

**If inhaled:** If inhaled, remove to fresh air. Get medical attention if symptoms occur.

On skin contact: Wash thoroughly with soap and water. Get medical attention if symp-

toms occur.

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eye-

lids held open. Get medical attention if irritation develops and persists.

**On ingestion:** Immediately rinse mouth thoroughly with water. Get medical attention.

DO NOT induce vomiting unless directed to do so by medical personnel. Administer 50 ml of pure ethanol in a drinkable concentration.

# 4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in sections 2 and/or 11. Further important symptoms and effects are so far not known.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Treatment:** Symptomatic treatment (decontamination, vital functions).

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

**Suitable extinguishing media:** Water spray. Alcohol-resistant foam. Dry powder. Carbon dioxide (CO<sub>2</sub>).

Unsuitable extinguishing media: None known.

## 5.2. Special hazards arising from the substance or mixture

Specific hazards during

firefighting:

Exposure to combustion products may be a hazard to health.

Hazardous combustion products: Carbon oxides.

5.3. Advice for fire-fighters

Special protective

equipment:

In the event of fire, wear self-contained breathing apparatus. Use per-

sonal protective equipment.

Specific extinguishing

methods:

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Use personal protective equipment. Follow safe handling advice and

personal protective equipment recommendations.

## 6.2. Environmental precautions

Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

## 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up:** Soak up with inert absorbent material. For large spills, provide dyking or

other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 provide information regarding certain local or national requirements.

**6.4. Reference to other sections:** See sections 7, 8, 11, 12 and 13.

**TYFO**ROP Safety Data Sheet Version: 4.2, ID-No.: 2000-01\_GB-GB Revision date: 01.07.2019 Product: **TYFO**COR® Page 3/8

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

**Technical measures:** See Engineering measures in section 8. **Local/total ventilation:** Use only with adequate ventilation.

Advice on safe

handling:

Avoid inhalation of vapour or mist. Do not swallow. Avoid contact with eyes. Avoid repeated or prolonged contact with skin. Handle in accordance with good industrial hygiene and safety practice. Shut containers immediately after taking product because product takes up the humidity of air. Take care to prevent spills, waste and minimize release to the en-

vironment.

Advice on protection against

fire and explosion:

Observe the general rules of industrial fire protection.

**Hygiene measures:** When using do not eat, drink or smoke. Wash contaminated clothing be-

fore re-use.

## 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers:

Store containers tightly sealed in a cool, dry and well ventilated place.

Store in accordance with the particular national regulations.

Advice on common

storage:

Do not store with strong oxidizing agents. Keep away from food, beve-

rages and animal feedstuffs.

7.3. Specific end uses

For the relevant identified uses listed in section 1 the advice mentioned in this section 7 is to be observed.

# **SECTION 8: Exposure control/personal protection**

#### 8.1. Control parameters

# Components with occupational exposure limits

#### Information on component Ethane-1,2-diol

Legal basis	Value type	Control parameters	Further information
2000/39/EC	TWA STEL	52 mg/m <sup>3</sup> , 20 ppm 104 mg/m <sup>3</sup> , 40 ppm	Identifies the possibility of significant uptake through the skin, indicative.
GB EH40	TWA (Vapour) TWA (Particles) STEL (Vapour)	52 mg/m <sup>3</sup> , 20 ppm 10 mg/m <sup>3</sup> 104 mg/m <sup>3</sup> , 40 ppm	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

# DNEL values - information on component Ethane-1,2-diol

End use	Exposure routes	Potential health effects	Value
Workers	Inhalation	Long-term local effects	35 mg/m <sup>3</sup>
Workers	Skin contact	Long-term systemic effects	106 mg/kg body weight/day
Consumers	Inhalation	Long-term local effects	7 mg/m <sup>3</sup>
Consumers	Skin contact	Long-term systemic effects	53 mg/kg body weight/day

#### PNEC values - information on component Ethane-1,2-diol

Fresh	Marine	Water (intermit-	Fresh water	Marine water	Soil	Sewage treat-
water	water	tent release)	sediment	sediment		ment plant
10 mg/l	1 mg/l	10 mg/l	37 mg/kg	3.7 mg/kg	1.53 mg/kg	199.5 mg/l

#### 8.2. Exposure controls

**Engineering measures:** Ensure adequate ventilation, especially in confined areas. Minimize work-

place exposure concentrations.

Personal protective equipment

**Eye protection:** Safety glasses with side-shields (frame goggles, e.g. EN 166).

**Hand protection:** Chemical resistant protective gloves (EN 374). Material: butyl rubber.

Protective index 6. Break through time: >480 minutes. Glove thickness: 0.6-0.8 mm. Remarks: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous sub-

**TYFO**ROP Safety Data Sheet Version: 4.2, ID-No.: 2000-01\_GB-GB Revision date: 01.07.2019 Product: **TYFO**COR® Page 4/8

## SECTION 8: Exposure control/personal protection - Continuation

stance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the manufacturer. Wash hands before breaks and

at the end of workday.

**Skin and body protection:** Wash skin thoroughly after contact.

**Respiratory protection:** Use respiratory protection unless adequate local exhaust ventilation is

provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Filter type: Organic vapour type (A).

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Appearance: liquid.
Colour: colourless.
Odour: almost odourless.
Odour threshold: No data available.

pH value (20 °C):8.0 - 8.5.(ASTM D 1287)Solidification temperature:<-18 °C.</th>(DIN ISO 3016)Initial boiling point/boiling range:>170 °C.(ASTM D 1120)

**Flash point:** >110 °C. (DIN EN 22719, ISO 2719)

Evaporation rate: No data available. Flammability (solid, gas): not applicable.

Upper explosion limit:15.0 % vol.(Inform. on Ethylene glycol)Lower explosion limit:3.2 % vol.(Inform. on Ethylene glycol)

Vapour pressure (20 °C): ca. 0.2 hPa. (calculated)

Vapour density: No data available.

**Density (20 °C):** ca. 1.125 g/cm<sup>3</sup>. (DIN 51757)

**Solubility:** Water solubility: soluble.

Partition coefficient n-octanol/H₂O: log P₀w: -1.93. (Inform. on Ethylene glycol)

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.

**Viscosity (kinematic, 20 °C):** 20 - 30 mm<sup>2</sup>/s. (DIN 51562)

**Explosive properties:** not explosive. **Oxidizing properties:** not oxidizing.

9.2. Other Information

**Hygroscopy:** hygroscopic.

#### **SECTION 10: Stability and reactivity**

**10.1. Reactivity:** No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metals.

10.2. Chemical stability: The product is stable if stored and handled as prescribed/indicated.10.3. Possibility of hazar-No hazardous reactions if stored and handled as prescribed/indicated.

dous reactions:

**10.4. Conditions to avoid:** No conditions to avoid anticipated.

**10.5. Incompatible materials:** Substances to avoid: strong oxidising agents.

**10.6. Hazardous decom-**No hazardous decomposition products if stored and handled as pres-

**position products:** cribed/indicated.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

**Information on likely** Inhalation. Skin contact. Ingestion. Eye contact.

routes of exposure:

**Acute toxicity:** Harmful if swallowed.

Information on the product: Acute oral toxicity: ATE: 545.66 mg/kg,

method: calculation method.

**TYFO**ROP Safety Data Sheet Version: 4.2, ID-No.: 2000-01\_GB-GB Revision date: 01.07.2019 Product: **TYFO**COR® Page 5/8

## **SECTION 11: Toxicological information - Continuation**

Information on component Ethane-1,2-diol: Acute oral toxicity: ATE: 500 mg/kg, method: expert judgement. Remark: Based on harmonised classification in Reg. (EC) No. 1272/2008, Annex VI. Acute inhalation toxicity: LC50 (Rat): >2.5 mg/l, exposure time: 4 hours. Assessment: The substance has no acute inhalation toxicity. Acute dermal toxicity LD50 (Mouse): >3500 mg/kg.

**Skin corrosion/** Not classified based on available information.

**irritation:** Information on component Ethane-1,2-diol: No skin irritation (Rabbit).

**Serious eye damage/** Not classified based on available information.

eve irritation: Information on component Ethane-1,2-diol: No eye irritation (Rabbit).

Respiratory or skin
sensitisation:

Skin sensitisation: Not classified based on available information. Respiratory sensitisation: Not classified based on available information. Information on component Ethane-1,2-diol: Skin contact: not sensiti-

sing (Guinea pig, Maximisation Test (GPMT).

**Germ cell mutagenicity:** Not classified based on available information.

Information on component Ethane-1,2-diol: Genotoxicity in vitro: not mutagenic (Bacteria, AMES-Test), method: OECD test guideline 471.

**Carcinogenicity:** Not classified based on available information.

Information on component Ethane-1,2-diol: not carcinogenic (Mouse),

application route: ingestion, exposure time: 2 years.

Reproductive toxicity: Not classified based on available information.

Specific target organ toxicity (single exposure):

Not classified based on available information.

Specific target organ toxicity (repeated exposure):

May cause damage to kidneys through prolonged or repeated expo-

sure by swallowing.

Information on component Ethane-1,2-diol: Target organ: Kidney. Assessment: Shown to produce significant health effects in animals at concentrations of >10 - 100 mg/kg body weight, exposure route: ingestion.

Repeated dose toxicity: Information on component Ethane-1,2-diol: NOAEL (Rat): 150 mg/kg,

application route: ingestion, exposure time: 2 years. NOAEL (Dog): 2200 - 4400 mg/kg, application route: skin contact, exposure time: 4

weeks, method: OECD test guideline 410.

**Aspiration toxicity:** Not classified based on available information.

Other information: Information on Ethane-1,2-diol: Experimental/calculated data: Mean le-

thal dose: 1.2 - 1.5 g/kg body weight, oral, adults. The symptoms/diag-

nosis/findings mentioned may result with smaller doses.

Potential effects	Symptoms	Period of time
on central nervous system (CNS) and gastrointestinal tract	Nausea, vomiting, dizziness, reflex inhibition, epileptiform seizures, convulsions, coma, respiratory arrest, circulatory collapse	30 min - 12 h
on cardiac and pulmonary function	Acceleration of pulse and breathing, increased blood pressure, possibly inflammatory mucosal changes, pulmonary edema, congestive heart failure	12 - 24 h
Renal impairment	Oliguria to anuria, degeneration of the kidney tissue with oxalate crystal deposits	24 - 72 h
CNS degeneration	Double-sided facial paralysis, pupillary inequality, blurred vision, dysphagia, hyperreflexia, incoordination, cerebral oedema, deposit of calcium oxalate in the brain	6 - 14 d

TYFOROP Safety Data Sheet Version: 4.2, ID-No.: 2000-01 GB-GB Revision date: 01.07.2019 Product: TYFOCOR® Page 6/8

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

# Information on component Ethane-1,2-diol

Toxicity to	Value / exposure time	Species
fish	LC50: 72860 mg/l / 96 h NOEC: 15380 mg/l / 7 d	Pimephales promelas (Fathead minnow)
daphnia and other aquatic invertebrates	EC50: >100 mg/l / 48 h NOEC: 8590 mg/l / 7 d	Daphnia magna (Water flea) Ceriodaphnia dubia (Water flea)
algae	EC50: 6500 - 13000 mg/l / 96 h	Pseudokirchneriella subcapitata (Green algae)

12.2. Persistence and Information on component Ethane-1,2-diol: Biodegradability: Biodegradegradability:

dation: 90-100 % (10 d), method: OECD test guideline 301 A. Result:

readily biodegradable.

12.3. Bioaccumulative Information on component Ethane-1,2-diol: Bioaccumulation: Bioconcenpotential:

tration factor (BCF): 10. Partition coefficient n-octanol/H<sub>2</sub>0: log P<sub>ow</sub>: -1.93.

12.4. Mobility in soil: No data available.

12.5-Results of PBT and The product does not contain a substance fulfilling the PBT criteria (pervPvB assessment:

sistent/bioaccumulative/toxic) or the vPvB criteria (very persistent/very

bioaccumulative).

12.6. Other adverse effects: No data available. 12.7. Further information: No further information.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Product:** Dispose of in accordance with local regulations.

> According to the European Waste Catalogue (EWC), waste codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal

authorities.

Dispose of as the product. Empty containers should be taken to an ap-Contaminated packaging:

proved waste handling site for recycling or disposal.

## **SECTION 14: Transport information**

	ADR/ RID	1	ADN	IMDG	IATA/ ICAO
	Not	clas	ssified as a da transport re	ingerous good egulations	l under
14.1. UN number	-		-	-	-
14.2. UN proper shipping name	-		-	-	-
14.3. Transport hazard classes	-		-	-	-
14.4. Packing group	-		-	-	-
14.5. Environmental hazards	-		-	ı	-
14.6. Special precautions for user	-		-	-	-

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not evaluated.

**TYFO**ROP Safety Data Sheet Version: 4.2, ID-No.: 2000-01\_GB-GB Revision date: 01.07.2019 Product: **TYFO**COR® Page 7/8

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance/mixture

Legal basis	Remark / Evaluation
Regulation (EC) No. 649/2012 of the European Parliament and the Council concerning the export and import	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59)	Not applicable
Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer	Not applicable
Regulation (EC) No. 850/2004 on persistent organic pollutants	Not applicable
Seveso III - Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances	Not applicable

## Other regulations

Take note of Directive 94/33/EC on the protection of young people at work.

## 15.2. Chemical Safety Assessment

A Chemical Safety Assessment was not carried out for the product.

#### **SECTION 16: Other information**

Full text of the abbreviations of classifications and H-Statements used in sections 2 and 3

Acute Tox. 4 Acute Toxicity, Category 4.

STOT RE 2 Specific target organ toxiciy - repeated exposure, Category 2

H302 Harmful if swallowed

H373 May cause damage to kidneys through prolonged or repeated exposure

by swallowing

Other abbreviations used in this safety data sheet in alphabetical order

ADN European agreement concerning the international carriage of dangerous

goods by inland waterways

ADR European agreement concerning the international carriage of dangerous

goods by road

ASTM American Society for Testing and Materials

ATE Acute Toxicity Estimate

CAS number Chemical Abstracts Service number

CLP Regulation (EC) No. 1272/2008 on classification, labeling and packaging

of chemical substances and mixtures

DIN German Institute for Standardisation/German Industrial Standard

DNEL Derived No Effect Level

EC50 Median Effective Concentration

number (European List of Notified Chemical Substances)

GB EH40 UK EH40 WEL-Workplace Exposure Limits

GB EH40 STEL Short-term exposure limit (15-minute reference period)
GB EH40 TWA Long-term exposure limit (8-hour TWA reference period)

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

ICAO International Civil Aviation Organization
IMDG International Maritime Dangerous Goods Code

INDEX number Identification code for hazardous substances, Annex VI of Regulation (EC)

No. 1272/2008

ISO International Organisation for Standardisation/International Standard

LC50 Median Lethal Concentration

LD50 Median Lethal Dose

MARPOL International Convention for the Prevention of Marine Pollution from Ships

NOAEL No Observed Adverse Effect Level NOEC No Observed Effect Concentration

**TYFO**ROP Safety Data Sheet Version: 4.2, ID-No.: 2000-01\_GB-GB Revision date: 01.07.2019 Product: **TYFO**COR® Page 8/8

#### **SECTION 16: Other information - Continuation**

OECD Organisation for Economic Cooperation and Development

PNEC Predicted No Effect Concentration

REACH Regulation (EC) No. 1907/2006 on Registration, Evaluation, Authorisation

and Restriction of Chemicals

RID Regulation concerning the international carriage of dangerous goods by rail 2000/39/EC European Commission Directive 2000/39/EC establishing a first list of indi-

cative occupational exposure limit values

2000/39/EC STEL Short Term Exposure Limit

2000/39/EC TWA Time Weighted Average limit value - eight hours

#### **Further information**

Sources of key data used to compile the safety data sheet: Internal technical data, data from component

SDS, OECD eChem Portal search results and European Chemicals Agency [ECHA].

Revision date: 01.07.2019 Date of previous version: 01.05.2017

Vertical lines in the left hand margin indicate an amendment from the previous version.

The information provided in this safety data sheet (SDS) is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific product identified at the top of this SDS and may not be valid when the SDS product is used in combination with any other materials or in any process, unless specified in the text. Product users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS product in the user's end product, if applicable.